

Provider Checklist-Outpatient – Prostratic RF Thermotx

CPT Code: 53852

All Indications [**One has to be present**]

Benign prostatic hyperplasia (BPH) [**All * have to be present**]

*Urinary obstruction [**One has to be present**]

Obstructive symptoms [**One has to be present**]

- 1 Decreased size/force of urine stream
- 2 Hesitancy
- 3 Intermittency
- 4 Sense of post voiding fullness
- 5 Straining on urination

Bladder calculi with Q-max < 12 cc/sec

Vesicoureteral reflux with Q-max < 12 cc/sec

Bilateral hydronephrosis by imaging

Acute renal failure which resolves with bladder catheterization

Acute urinary retention which resolves with bladder catheterization

UTI ≥ 2x by culture w/in last yr [**One has to be present**]

- 1 Q-max < 12 cc/sec
- 2 PVR > 100 mL

*Prostate estimated size > 25 g and < 60 g by DRE

*Prostate cancer status [**One has to be present**]

Age-specific PSA normal [**Both have to be present**]

-1 PSA [**One has to be present**]

- A) Age ≥ 40 and ≤ 49 – PSA ≤ 2.5 ng/mL
- B) Age ≥ 50 and ≤ 59 – PSA ≤ 3.5 ng/mL
- C) Age ≥ 60 and ≤ 69 – PSA ≤ 4.5 ng/mL
- D) Age ≥ 70 and ≤ 75 – PSA ≤ 6.5 ng/mL

-2 DRE [**One has to be present**]

- A) Nodule/induration with negative systematic prostate biopsies
- B) No nodule/induration

*Age-specific PSA elevated [**Both have to be present**]

-1 PSA [**One has to be present**]

- A) Age ≥ 40 and ≤ 49 – PSA > 2.5 ng/mL
- B) Age ≥ 50 and ≤ 59 – PSA > 3.5 ng/mL
- C) Age ≥ 60 and ≤ 69 – PSA > 4.5 ng/mL
- D) Age ≥ 70 and ≤ 75 – PSA > 6.5 ng/mL

-2 Negative systematic prostate biopsies

*No PSA and age > 75

*U/A nondiagnostic for etiology of urinary obstruction

*Medical treatment [**One has to be present**]

- Continued Sx/findings after ≥ 4 weeks
- Contraindication/intolerance to pharmacotherapy
- Aversion to long-term pharmacotherapy